JOURNAL OF CHROMATOGRAPHY A

VOL. 767, NOS. 1 + 2 11 APRIL 1997

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

REGULAR PAPERS

Column Liquid Chromatography

Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases
by J.H. Park, Y.K. Lee and Y.C. Weon (Kyongsan, South Korea) and L.C. Tan, J. Li, L. Li, J.F. Evans and P.W. Carr (Minneapolis, MN, USA) (Received 3 December 1996) 1

Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose
by A.V. Patwardhan and M. M. Ataai (Pittsburgh, PA, USA) (Received 15 October 1996) 11

Influence of leaks in the liquid chromatographic instrument on analytical results
by V.R. Meyer (Berne, Switzerland) (Received 8 November 1996) 25

Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds
by C. Ericson, J.-L. Liao, K. Nakazato and S. Hjertén (Uppsala, Sweden) (Received 3 December 1996) 33

Determination of glucosinolates in domestic and wild mustard by high-performance liquid chromatography with confirmation by electrospray mass spectrometry and photodiode-array detection
by C.L. Zrybko (East Hanover, NJ, USA) and E.K. Fukuda and R.T. Rosen (New Brunswick, NJ, USA) (Received 27 November 1996) 43

Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography
by S.R. Hagen, J.D. Thompson, D.S. Snyder and K.R. Myers (Hamilton, MT, USA) (Received 20 December 1996) 53

Determination of primary oxidation products of linoleic acid and triacylglycerols
by N. Gladovič (Portorož, Slovenia) and L. Zupančič-Kralj and J. Plavec (Ljubljana, Slovenia) (Received 10 December 1996) . 63

Adsorption liquid chromatography on silica for the chiral separation of amino acids and asymmetric amines derivatized with optically active N-α-9-fluorenylmethyloxycarbonyl-amino acid-N-carboxyanhydrides
by M. Pugniere and H. Mattras (Montpellier, France), B. Castro (Gentilly Cedex, France) and A. Previero (Montpellier, France) (Received 10 December 1996) 69

Analysis of bioactive peptides by liquid chromatography–high-resolution electrospray mass spectrometry
by P.A. D'Agostino, J.R. Hancock and L.R. Provost (Medicine Hat, Canada) (Received 10 December 1996) 77

Identification and determination of red dyes in confectionery by ion-interaction high-performance liquid chromatography
by M.C. Gennaro, E. Gioannini, S. Angelino, R. Aigotti and D. Giacosa (Torino, Italy) (Received 10 December 1996) 87

On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection
by T. Nishikawa, Y. Hayashi, S. Suzuki, H. Kubo and H. Ohtani (Kanagawa, Japan) (Received 17 December 1996) 93

High-performance liquid chromatography–electrospray ionisation–tandem mass spectrometry for the analysis of 1,2,3,4-tetrahydro-β-carboline derivatives
by B. Gutsche and M. Herderich (Würzburg, Germany) (Received 5 December 1996) 101

(Continued overleaf)

Contents (continued)

Single-column ion chromatography of linear polyphosphates
by L. Svoboda and U. Schmidt (Pardubice, Czech Republic) (Received 28 November 1996) 107

Gas Chromatography

Automatic prediction of retention times in multi-linear programmed temperature analyses
by S. Vezzani, P. Moretti and G. Castello (Genova, Italy) (Received 13 November 1996) 115

The hold-up time in gas chromatography. II. Validation of the estimation based on the concept of a zero carbon atoms alkane
by J.E. Quintanilla-López, R. Lebrón-Aguilar and J.A. García-Domínguez (Madrid, Spain) (Received 6 December 1996) . . . 127

Development of a thermal desorption modulator for gas chromatography
by H.-J. de Geus and J. de Boer (IJmuiden, Netherlands) and U.A.Th. Brinkman (Amsterdam, Netherlands) (Received 23 December 1996) 137

Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels
by G. Bertoni and R. Tappa (Rome, Italy) (Received 11 December 1996) 153

Determination of seventeen polycyclic aromatic hydrocarbons in tobacco smoke condensate
by G. Gmeiner, G. Stehlik and H. Tausch (Seibersdorf, Austria) (Received 25 November 1996) 163

Determination of phenols by solid-phase microextraction
by P. Barták and L. Čáp (Olomouc, Czech Republic) (Received 29 November 1996) 171

Identification of phenolic acids and inositols in balms and tissues from an Egyptian mummy
by P. Mejanelle, J. Bleton, S. Goursaud and A. Tchapla (Orsay Cedex, France) (Received 5 December 1996) 177

Analysis of heterocyclic amines as their N-dimethylaminomethylene derivatives by gas chromatography with nitrogen–phosphorus selective detection
by H. Kataoka and K. Kijima (Okayama, Japan) (Received 2 December 1996) 187

Matrix effects on solid-phase microextraction of organophosphorus pesticides from water
by I. Valor (Alicante, Spain), J.C. Moltó (Valencia), Spain), D. Apraiz (Alicante, Spain) and G. Font (Valencia), Spain) (Received 25 November 1996) 195

Electrophoresis

Variance contributed by pressure induced injection in capillary electrophoresis
by X. Peng and D.D.Y. Chen (Vancouver, Canada) (Received 12 November 1996) 205

Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing
by M.G. Bissell, A.O. Okorodudu, J.R. Petersen and A.A. Mohammad (Galveston, TX, USA) (Received 16 September 1996) . 217

Capillary electrophoretic determination of inorganic and organic anions using 2,6-pyridinedicarboxylic acid: effect of electrolyte's complexing ability
by T. Soga and G.A. Ross (Tokyo 180, Japan and 76337 Waldbronn, Germany) (Received 8 November 1996) 223

Capillary isoelectric focusing with anionic coated capillaries
by D.M. Whynot (Binghamton, NY, USA), R.A. Hartwick (South New Berlin, NY, USA) and S. Bane (Binghamton, NY, USA) (Received 12 November 1996) 231

UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell
by A. Mainka and K. Bächmann (Darmstadt, Germany) (Received 16 October 1996) 241

Separation of isomeric hydroperoxides of unsaturated fatty acids by capillary electrophoresis
by O. Schmitz and S. Gäb (Wuppertal, Germany) (Received 25 November 1996) 249

Study of haptoglobin–hemoglobin complexes by titration curves, capillary electrophoresis and capillary isoelectric focusing
by P.G. Righetti and M. Conti (Verona, Italy) and C. Gelfi (Milan, Italy) (Received 3 December 1996) 255

General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis–mass spectrometry

by M. Unger (Mainz, Germany), D. Stöckigt and D. Belder (Mülheim an der Ruhr, Germany) and J. Stöckigt (Mainz, Germany) (Received 28 October 1996) 263

Separation of aporphine alkaloids by micellar electrokinetic chromatography
by S.-W. Sun, S.-S. Lee, L.-Y. Chen and C.-K. Chen (Taipei, Taiwan) (Received 28 November 1996) 277

Polyacrylamide gel electrophoresis of soil humic acid fractionated by size-exclusion chromatography and ultrafiltration
by O.A. Trubetskoj, O.E. Trubetskaya, G.V. Afanas'eva and O.I. Reznikova (Pushchino, Russia) and C. Saiz-Jimenez (Sevilla, Spain) (Received 12 December 1996) 285

Determination of small anions by capillary electrophoresis using indirect UV detection with sulphonated nitrosonaphthol dyes
by H. Sirén, A. Määttänen and M.-L. Riekkola (Helsinki, Finland) (Received 21 October 1996) 293

Determination of barium and strontium by capillary zone electrophoresis using an electrolyte containing sulfonazo III
by M. Macka, B. Paull, P. Andersson and P.R. Haddad (Hobart, Australia) (Received 29 October 1996) 303

Determination of Na^+, K^+, Mg^{2+} and Ca^{2+} in mixtures of seawater and formation water by capillary electrophoresis
by A. Tangen and W. Lund (Oslo, Norway) and R. Buhl Frederiksen (Hedehusene, Denmark) (Received 10 December 1996) . 311

Determination of metal cyanide complexes in gold processing solutions by capillary electrophoresis
by M. Aguilar, A. Farran and V. Martí (Barcelona, Spain) (Received 8 November 1996) 319

SHORT COMMUNICATIONS

Gas Chromatography

Separation of acyclic derivatives of sugar enantiomers using gas chromatography on chiral stationary phases of permethylated α-, β- and γ-cyclodextrin
by L. Lindqvist and P.-E. Jansson (Huddinge, Sweden) (Received 27 November 1996) 325

Analysis of impurities of isopropyl myristate by gas–liquid chromatography
by P. Klaffenbach and D. Kronenfeld (Borken, Germany) (Received 26 November 1996) 330

Use of capillary gas chromatography for determining the hydrogenation level of edible oils
by M. Naglič and A. Šmidovnik (Ljubljana, Slovenia) (Received 26 November 1996) 335

Isolation of three triterpenes and several aliphatic alcohols from *Crataegus monogyna* Jacq
by M.D. García, M.T. Sáenz, M.C. Ahumada and A. Cert (Sevilla, Spain) (Received 18 November 1996) 340

AUTHOR INDEX VOL. 767 343

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc